

































Mounting Guide

Unified Reader
Mounting Applications
and Specifications



	Dimensions	Indoor	Outdoor	Construction	Compatible Mounts
<div>VA-BSGP Single Gang Plate</div> <div>Use to mount the reader to a single gang box.</div> 	<div>Height 7.0 in. (177.8 mm)</div>  <div>Width 3.0 in. (76.2 mm)</div> 			<div>Material: Mild Steel</div> <div>Color: White</div> <div>Weight: 0.70 lb (0.32 kg)</div>	N/A
<div>VA-BDGP Double Gang Plate</div> <div>Use to mount the reader to a double gang box.</div> 	<div>Height 7.0 in. (177.8 mm)</div>  <div>Width 5.0 in. (127.0 mm)</div> 			<div>Material: Mild Steel</div> <div>Color: White</div> <div>Weight: 1.05 lb (0.48 kg)</div>	N/A
<div>VAN-AC-SHBK-1 Weathershield</div> <div>Use to protect the reader from the weather elements and help to protect from sunlight.</div> 	<div>Height 7.25 in. (184.15 mm)</div>  <div>Width 3.0 in. (76.2 mm)</div> <div>Depth 2.30 in. (58.42 mm)</div> 			<div>Material: Mild Steel</div> <div>Color: Black</div> <div>Weight: 2.10 lbs (0.95 kg)</div>	<div>VAN-AC-MLBK-1 Mullion Mount Bracket</div> <div>VAN-AC-HABK-1 Horizontal Angle Bracket</div>
<div>VAN-AC-MLBK-1 Mullion Mount Bracket</div> <div>Use to mount the reader to the right or left side of a door.</div> 	<div>Height 7.50 in. (190.5 mm)</div>  <div>Width 4.75 in. (120.65 mm)</div> <div>Depth 0.97 in. (24.64 mm)</div> 			<div>Material: Mild Steel</div> <div>Color: Black</div> <div>Weight: 1.95 lb (0.88 kg)</div>	<div>VAN-AC-SHBK-1 Weathershield</div> <div>VAN-AC-HABK-1 Horizontal Angle Bracket</div> <div>VAN-AC-VABK-1 Vertical Angle Bracket</div>

	Dimensions	Indoor	Outdoor	Construction	Compatible Mounts
<div><div>VAN-AC-HABK-1</div><div>Horizontal Angle Bracket</div><div>Use to mount the reader on the right or left side of a door at a 20° angle; can be mounted to a single gang box.</div></div> <div></div>	<div><div><div>Height</div><div>7.25 in. (184.15 mm)</div></div><div></div><div><div>Width</div><div>3.0 in. (76.2 mm)</div></div></div> <div><div><div>Depth</div><div>1.82 in. (46.23 mm)</div></div><div></div><div><div>Angle</div><div>26.9°</div></div></div>	<div></div>	<div></div>	<div><div>Material:</div><div>Mild Steel</div></div> <div><div>Color:</div><div>Black</div></div> <div><div>Weight:</div><div>1.25 lb (0.57 kg)</div></div>	<div>VAN-AC-SHBK-1</div> <div>Weathershield</div>
<div><div>VAN-AC-VABK-1</div><div>Vertical Angle Bracket</div><div>Use to mount the reader at a 12° tilt at ADA height; can be mounted to a single gang box.</div></div> <div></div>	<div><div><div>Height</div><div>7.25 in. (184.15 mm)</div></div><div></div><div><div>Width</div><div>3.0 in. (76.2 mm)</div></div></div> <div><div><div>Depth</div><div>2.18 in. (55.37 mm)</div></div><div></div><div><div>Angle</div><div>12.5°</div></div><div><div>Height</div><div>7.35 in. (186.69 mm)</div></div></div>	<div></div>	<div></div>	<div><div>Material:</div><div>Mild Steel</div></div> <div><div>Color:</div><div>Black</div></div> <div><div>Weight:</div><div>1.30 lb (0.60 kg)</div></div>	<div>N/A</div>